Contents of Applied Physics B 48

This listing presents the papers in alphabetical order of the first author. The author index that follows covers **Applied Physics A** and **B**, and is presented in tabular form. In the first column the names are listed in alphabetical order. The second column together with the third one contains the bibliographic data necessary to locate the paper. The issue is specified by the number separated from the volume number by a slash. The fourth column states the major PACS number so that the topic of the paper can be inferred by consulting the PACS listing on the left.

Photophysics and Laser Chemistry

Alonso E.M., D'Angelo R.J., Quel E.J.:
Studies of vibrational relaxation in CDF_3 following intense laser excitation.
Appl. Phys. B 48/3, 249-252 (1989) PACS: 33.00 39.00 82.50

Ankerhold G., Mitschke F., Frerking D., Ristau D., Mlynek J., Lange W.:
Hard coatings for optically bistable interference filters.
Appl. Phys. B 48/2, 101-104 (1989) PACS: 42.65P 68.55

Arai S., Sugita K., Ma P., Ishikawa Y., Kaetsu H., Isomura S.:
First-stage enrichment in CO_2-laser-induced ^{13}C separation by a two-stage IRMPD process: IRMPD of $CHClF_2/Br_2$ mixtures.
Appl. Phys. B 48/5, 427-435 (1989) PACS: 82.50 33.00

Auyeung R.C.Y., Zielke D.M., Feldman B.J.:
Multiple harmonic conversion of pulsed CO_2 laser radiation in Tl_3AsSe_3.
Appl. Phys. B 48/4, 293-297 (1989) PACS: 42.65C 42.70 42.55

Bagayev S.N., Baklanov A.E., Chebotayev V.P., Dychkov A.S.:
Superhigh resolution spectroscopy in methane with cold molecules.
Appl. Phys. B 48/1, 31-35 (1989) PACS: 07.65 33.00 42.72

Bakhramov S.A., Berdikulov A.T., Kokharov A.M., Tikhonenko V.V.:
Self-induced polarization rotation of the laser beam in resonance media.
Appl. Phys. B 48/3, 243-244 (1989) PACS: 33.00 39.00 82.50

Balykin V.I., Letokhov V.S.:
Atomic cavity with light-induced mirrors.
Appl. Phys. B 48/6, 517-523 (1989) PACS: 42.65K

Bava E., Godone A., Novero C.:
Cavity phase-shift error evaluation in a magnesium atomic beam frequency standard.
Appl. Phys. B 48/6, 495-505 (1989) PACS: 32.80

Bengtsson P.-E., Aldén M.:
Application of a pulsed laser for soot measurements in premixed flames.
Appl. Phys. B 48/2, 155-164 (1989) PACS: 78.35 82.40

Bento A.C., Aguiar M.M.F., Vargas H., Silva M.D da, Bandeira I.N., Miranda L.C.M.:
Open photoacoustic cell x-ray detection.
High-sensitivity transient spectroscopy using tunable diode lasers.
Appl. Phys. B 48/1, 25-29 (1989) PACS: 42.60K 35.80

Hebling J., Klebniczki J., Heszler P., Bor Zs., Rácz B.:
Travelling-wave amplified spontaneous emission excited in a prismatic goemetry.
Appl. Phys. B 48/5, 401-403 (1989) PACS: 42.55M

Highland R., Dunkle E., Hanko L., Hager G.:
Magnetic Q-switching of a photolytic iodine laser.
Appl. Phys. B 48/4, 357-364 (1989) PACS: 42.65

Ioli N., Moretti A., Pereira D., Strumia F., Garelli G.:
A new efficient far-infrared optically pumped laser gas: $CH_3\ ^{180}H$.
Appl. Phys. B 48/4, 299-304 (1989) PACS: 42.55

Ioli N., Moretti A., Strumia F.:
High efficiency CW far infrared lasers at 119 micrometer and 127 micrometer.
Appl. Phys. B 48/4, 305-309 (1989) PACS: 42.55

Ionov S.I., Kobakhidze A.A.:
A differential technique to measure small product yield increments in a time-of-flight mass spectrometer for investigating IR-spectra of highly excited polyatomics.
Appl. Phys. B 48/6, 507-511 (1989) PACS: 42.80 33.00

Ishihara T., Lin S.-C.:
Theoretical modeling of microwave-pumped high-pressure gas lasers.
Appl. Phys. B 48/4, 315-326 (1989) PACS: 34.80 42.55 52.80

Ishizaka S.:
Laser emission from the organic free radical 9-julolidylthiyl in solution.
Appl. Phys. B 48/2, 111-113 (1989) PACS: 33.00 42.55

Jennings D.A.:
Coherent tunable far infrared radiation.
Appl. Phys. B 48/4, 311-313 (1989) PACS: 42.65 42.55

Johnson D.E., Humphreys Jr. R.H., Keating P., Hager G.D.:
A frequency doubled chemical oxygen iodine laser.
Appl. Phys. B 48/4, 339-342 (1989) PACS: 42.55k 42.60 42.65

Johnson D.E., Highland R.G., Dunkle E.A.:
A photolytically Q-switched photolytic iodine laser.
Appl. Phys. B 48/5, 445-448 (1989) PACS: 42.60

Johst K., Johansen H.:
Resonant two-step photoionization of molecules: Effects of Pulse sequence, pulse duration and delay time of two lasers on ionization probability and selectivity.
Appl. Phys. B 48/6, 479-484 (1989) PACS: 33.80E

Kielczynski P., Pajewski W.:
Influence of a layered polarization of piezoelectric ceramics on shear-horizontal surface-wave propagation.
Appl. Phys. B 48/5, 383-388 (1989) PACS: 62.30 68.25 68.60

Kozlov D.N., Smirnov V.V., Volkov S.Yu.:
Study of processes of translational, rotational, and vibrational relaxation based on CARS spectra line shapes.
Appl. Phys. B 48/3, 273-283 (1989) PACS: 42.65 34.00

Kudryavtsev Yu.A., Petrunin V.V., Sitkin V.M., Letokhov V.S.:
Laser photoionization detection of the rare isotope ^3He.
Appl. Phys. B 48/1, 93-96 (1989) PACS: 32.80F 31.60 07.75

Letardi T., Lazzaro P. Di,Giordano G., Zheng C.E.:
Appl. Phys. B 48/3, 269-272 (1989) PACS: 78.90

Brand U., Mensing F., Helmcke J.:
Polarization properties and frequency stabilization of an internal mirror He-Ne laser emitting at 543.5 nm wavelength.
Appl. Phys. B 48/4, 343-350 (1989) PACS: 42.50 42.55 42.60

Brüggemann R., Petri M., Fischer H., Mauer D., Reinert D., Urban W.:
Computer controlled diode laser spectrometer with a helium evaporation cryostat and spectroscopy of the μ_3 vibration of NCO.
Appl. Phys. B 48/2, 105-110 (1989) PACS: 42.60 33.20

Carusotto S., Polacco E., Iacopini E., Stefanini G., Zavattini E., Scuri F.:
The ellipticity introduced by interferential mirrors on a linearly polarized light beam orthogonally reflected.
Appl. Phys. B 48/3, 231-234 (1989) PACS: 42.70 42.80

Chen Yijiang
Theoretical analysis of acousto-optic frequency shifter by dual mode fiber.
Appl. Phys. B 48/2, 131-137 (1989) PACS: 42.80M 43.20

Chen Zhihao, Qu Yan, Yao Huihai
Birefringence and polarization mode dispersion in graded-core stress-applied polarization-maintaining fibers.
Appl. Phys. B 48/3, 225-229 (1989) PACS: 42.80 42.20

Cunin B., Geoffroy B., Heisel F., Lépine T., Miehé J.A.:
Spectral density analysis of noisy repetitive pulses. Models for continuously operating mode-locked lasers.
Appl. Phys. B 48/1, 41-49 (1989) PACS: 02.50 42.60 42.80

Czarnetzki U., Döbele H.F., Rückle B.:
Stimulated IR-and vacuum-UV emission following two-photon-excitation of molecular hydrogen using an ArF laser.
Appl. Phys. B 48/1, 37-40 (1989) PACS: 33.80K 42.65

Dyer P.E., Oldershaw G.A., Sidhu J.:
CO_2 laser ablative etching of polyethylene terephthalate.
Appl. Phys. B 48/6, 489-493 (1989) PACS: 82.50 42.60

Facin J.A., Pereira D., Vasconcellos E.C.C., Scalabrin A., Ferrari C.A.:
New FIR laser lines from CHD_2OH optically pumped by CW CO_2 laser.
Appl. Phys. B 48/3, 245-248 (1989) PACS: 42.55

Gerasimchuk A., Kornilov S., Protsenko E., Tymper S.:
Frequency tuned carbon monoxide waveguide laser with RF pumping.
Appl. Phys. B 48/6, 513-516 (1989) PACS: 42.55E

Grosse P., Wynands R.:
Simulation of photoacoustic IR spectra of multilayer structures.
Appl. Phys. B 48/1, 59-65 (1989) PACS: 07.65G 44.30 78.30

Guizard S., Chapoulard D., Horani M., Gauyacq D.:
Detection of NO traces using resonantly enhanced multiphoton ionization: A method for monitoring atmospheric pollutants.
Appl. Phys. B **48**/6, 471-477 (1989) PACS: 33.80R 42.68

Güthner P., Fischer U.Ch., Dransfeld K.:
Scanning near-field acoustic microscopy.
Appl. Phys. B **48**/1, 89-92 (1989) PACS: 61.16 43.35

Hammer Th., Bötticher W.:
Spectroscopic investigation of the ionization kinetics in XeCl laser discharges by Xe density measurements.
Appl. Phys. B **48**/1, 73-84 (1989) PACS: 42.55G 52.65 52.70

Hayward J.E., Cassidy D.T., Reid J.:
Large area X-ray preionizer for electric discharge lasers.
Appl. Phys. B **48**/1, 55-58 (1989) PACS: 52.80V 52.25

Leuthard W., Kneubühl F.K., Schötzau H.J.:
CO_2-laser gas discharges in narrow gaps.
Appl. Phys. B **48**/1, 1-20 (1989) PACS: 42.55E 42.60 52.00

Lo D.:
The effect of preionization electron number density on avalanche completion time.
Appl. Phys. B **48**/5, 405-410 (1989) PACS: 42.55G 52.80

Löhmannsröben H.G., Langhals H.:
Laser performance of perylenebis (dicarboximide) dyes with long secondary alkyl chains.
Appl. Phys. B **48**/6, 449-452 (1989) PACS: 42.55M 82.50 33.20

Lu M.-H., Chen W.-M., Pan C.-L.:
Atomic absorption spectra induced by NaRb in sodium-rubidium vapour.
Appl. Phys. B **48**/5, 365-369 (1989) PACS: 34.90

Manohar K.G., Bajaj P.N., Suri B.M., Talukdar R., Dasgupta K.,
Chakraborti P.K., Rao P.R.K.:
Observation of autoionization resonances in uranium by stepwise laser photoionization.
Appl. Phys. B **48**/6, 525-530 (1989) PACS: 31.60 32.30 32.80

Meier R., Kneubühl F.K., Schötzau H.J.:
Mass-spectroscopic study of the influence of nozzle material on high-pressure SF_6-arcs.
Appl. Phys. B **48**/3, 187-211 (1989) PACS: 52.00

Meis C., Jardino M., Gely B., Desaintfuscien M.:
Relativistic Doppler effect in $^{199}Hg^+$ stored ions atomic frequency standard.
Appl. Phys. B **48**/1, 67-72 (1989) PACS: 32.00 35.00

Miklos A., Lörincz A.:
Windowless resonant acoustic chamber for laser-photoacoustic applications.
Appl. Phys. B **48**/3, 213-218 (1989) PACS: 07.65 43.20 43.85

Miklos A., Lörincz A.:
Determination of thermal transport properties of thin films from pulsed thermoreflectance measurements in the picosecond regime.
Appl. Phys. B **48**/3, 261-267 (1989) PACS: 65.00 68.55 78.20

Mitschke F., Ankerhold G., Lange W.:
Analysis of optical bistability through rapid water desorption from hard coatings.
Appl. Phys. B **48**/6, 467-470 (1989) PACS: 42.65P 68.55

Morinaga A., Riehle F., Ishikawa J., Helmcke J.:
A Ca optical frequency standard: Frequency stabilization by means of nonlinear Ramsey resonances.
Appl. Phys. B **48**/2, 165-171 (1989) PACS: 32.00 42.50 42.55

Mutin P., Boquillon J.P.:
Very-narrow-bandwidth tunable infrared difference frequency generation with injection-locked dye lasers.
Appl. Phys. B **48**/5, 411-416 (1989) PACS: 33.20F 42.65 42.55

Nayak A.K., Sarkar S.K., Karve R.S., Parthasarathy V.,
Rama Rao K.V.S., Mittal J.P., Krishnamachari S.L.Venkitachalam T.V.:
Infrared laser multiple photon dissociation of thiophene in gas phase.
Appl. Phys. B **48**/5, 437-443 (1989) PACS: 82.50 33.00

Ogawa T.:
Statistical properties of the laser emission in a low-Q cavity.
Appl. Phys. B **48**/4, 327-338 (1989) PACS: 42.50 05.40 02.50

Oka K., Sato H.:
Pyroelectric detection of a CO_2 laser beam using organic co-polymers.
Appl. Phys. B **48**/1, 85-88 (1989) PACS: 42.80

Osborne M.R., Schroeder W.A., Damzen M.J., Hutchinson M.H.R.:
Low-divergence operation of a long-pulse excimer laser using a SBS phase-conjugate cavity.
Appl. Phys. B **48**/4, 351-356 (1989) PACS: 42.55G 42.60

Piglmayer K., Bäuerle D.:
On the reaction kinetics in laser-induced photochemical gas-phase processing.
Appl. Phys. B **48**/6, 453-462 (1989) PACS: 82.50 82.65

Pollock C.R., Pinto J.F., Georgiou E.:
Recent progress in color center lasers.
Appl. Phys. B **48**/4, 287-292 (1989) PACS: 42.60L 42.60 42.55

Qiu P., Penzkofer A.:
Intense ultrashort pulse generation in a two-photon pumped generator-amplifier system.
Appl. Phys. B **48**/2, 115-124 (1989) PACS: 42.55M 42.65

Quapp W.:
An explanation of the direction of the relaxation in the HCN gas microwave laser, and a new assignment of some further laser lines along the path of internal vibrational energy redistribution.
Appl. Phys. B **48**/3, 257-260 (1989) PACS: 82.20R 42.55 31.10

Rakowsky S., Zimmermann D., Ernst W.E.:
Accurate determination of wavenumbers for iodine molecular lines in the red spectral region.
Appl. Phys. B **48**/6, 463-466 (1989) PACS: 33.20K 42.72

Reuter R., Franke H.:
An integrated organic photoconductive detector for optoelectronics.
Appl. Phys. B **48**/3, 219-224 (1989) PACS: 42.80 42.82 72.40

Ringhofer K.H., Solymar L.:
Three-wave and four-wave forward mixing in photorefractive materials.
Appl. Phys. B **48**/5, 395-400 (1989) PACS: 42.50 42.65

Ritonga J., Ushizaka T., Asakura T.:
Two-dimensional measurements of velocity using two rotating gratings.
Appl. Phys. B **48**/5, 371-377 (1989) PACS: 07.60 42.80

Ryan J.C., Lawandy N.M.:
Multiple relaxation and inhomogeneous broadening in resonance enhanced Raman scattering: Application to tunable infrared generation.
Appl. Phys. B **48**/2, 173-182 (1989) PACS: 42.55H

Scott R.Q., Usa M., Inaba H.:
Ultraweak emission imagery of mitosing soybeans.
Appl. Phys. B **48**/2, 183-185 (1989) PACS: 87.10

Siegner U., Noll G., Göbel E.O.:
Synchronized picosecond pulse generation with a synchronously pumped dye laser and a compressed Nd:YAG laser for non-degenerate transient grating experiments.
Appl. Phys. B **48**/1, 21-23 (1989) PACS: 42.65R 42.60 78.47

Simon P.:
Time-resolved ablation-site photography of XeCl-laser irradiated polyimid.
Appl. Phys. B **48**/3, 253-256 (1989) PACS: 42.60 81.60 82.65

Solka H., Zimmermann W., Reinert D., Stahn A., Dax A., Urban W.:
A simple model for the velocity modulation detection technique of molecular ions.
Appl. Phys. B **48**/3, 235-242 (1989) PACS: 35.80 33.70

Stamm U., Weidner F.:
Pulse formation in synchronously pumped infrared dye lasers.
Appl. Phys. B **48**/2, 149-153 (1989) PACS: 42.55M 42.60 42.65

Taira Y., Amano S., Takuma H.:
System for precise measurement in inverse Raman spectroscopy.
Appl. Phys. B **48**/5, 389-394 (1989) PACS: 07.65 33.20 35.80

Trtica M.S., Ribnikar S.V.:
Spectroscopic study of a TEA CO_2 laser of the CO_2/X, X = H_2, N_2/H_2 type.
Appl. Phys. B **48**/5, 379-382 (1989) PACS: 42.55D

Uehara K., Kikuchi H.:
Generation of nearly diffraction-free laser beams.
Appl. Phys. B **48**/2, 125-129 (1989) PACS: 42.60H 42.60

Vodopyanov K.L., Kulevskii L.A., Toth Cs., Farkas Gy., Horváth Z.Gy.:
Laser induced electron emission from gold surface irradiated by picosecond pulses at lamda = 2.8 micrometer.
Appl. Phys. B 48/6, 485-488 (1989) PACS: 32.80K 79.20 79.60

Watanabe M., Endoh A., Sarukura N., Watanabe S.:
Subpicosecond UV pulse generation for a multiterawatt KrF laser.
Appl. Phys. B 48/5, 417-420 (1989) PACS: 42.55H 42.55 42.60

Yih T.S., Wu H.H., Wang H.S., Chen Y.L.:
Observation of 280 nm and 298 nm ultraviolet emissions in sodium vapor.
Appl. Phys. B 48/5, 421-426 (1989) PACS: 42.60 42.65

Yu J., Desaintfuscien M., Plumelle F.:
Ion density limitation in a penning trap due to the combined effect of asymmetry and space charge.
Appl. Phys. B 48/1, 51-55 (1989) PACS: 41.70 32.80 52.55

Zhang Y., Beuermann Th., Stuke M.:
UV laser photofragment $GaCH_3$ detected by far UV laser mass spectrometry.
Appl. Phys. B 48/1, 97-100 (1989) PACS: 81.15H 82.50

Zysset B., Fujimoto J.G., Deutsch T.F.:
Time-resolved measurements of picosecond optical breakdown.
Appl. Phys. B 48/2, 139-147 (1989) PACS: 87.60 52.50 42.65